



www.stora-drain.be

STORA TOP LINE

CHANNEL BODY FOR UNDERGROUND CAR-PARKS
C250



STORA-DRAIN

In harmony with nature...

LOAD CLASS

according EN1433:2005

The indications A15, B125, C250, D400, E600 or F900 measure the level of test resistance expressed in kN that is statically transmitted to the element being studied under laboratory conditions. For example, grid class C250 means that it transmits a strength of 250kN applied in accordance with EN 1433:2005.

CLASS

A 15

Areas which can only be used by pedestrians and cyclist, and similar A 15 areas such as green spaces.



CLASS

B 125

Footways, pedestrian areas and comparable areas, private car parks or car parking decks.



CLASS

C 250

Kerb sides and non-trafficked areas of hard shoulders and similar.



CLASS

D 400

Load traffic lanes (including pedestrian streets), hard shoulders and parking areas, for all types of road vehicles. Only longitudinal use, never transverse direction.



CLASS

E 600

Areas subjected to high wheel loads. Only longitudinal use, never transverse direction.



CLASS

F 900

Areas subjected to especially high wheel loads (e.g. aircraft pavements). Only longitudinal use, never transverse direction.





STORA-DRAIN

TOP LINE

CHANNEL BODY FOR
UNDERGROUND CAR-PARKS

STORA-DRAIN

TOP LINE C250 

CHANNEL BODY FOR UNDERGROUND CAR-PARKS

STORA-DRAIN

TOP LINE 150
CHANNEL BODY


C250



D=150	L	H	Vertical outlet	KG	units per pallet	Article number
channel L=1m standard	1000	50	–	11,40	60	ST15051000
Channel 0,5m standard	500	50	–	5,70		ST15055000
Channel 0,5m with pipe	500	50	Ø 110	4,00		ST15055000P
cross connection	L=D 150	50	–	2,00		AL15001000
"T" connection	L=D 150	50	–	2,00		AL15002000
closed endcap	30	50	–	0,50		AE15003000

TOP LINE

D = building width; H = building height




Channel 1m standard




Channel 0,5m standard




Channel 0,5m with pipe




cross connection



"T" connection



closed endcap



TOP LINE

where can you find us?

IMCOMA nv

Zwaarveld 32

9220 Hamme

tel. +32 (0)52 499 899

info@imcoma.com



IMCOMA S.A. is not responsible for printing errors and reserves the right to change the technical specifications at any time without prior notice. Drawings, photos, weights and colours are given as an indication only without any contractual value.

STORA-DRAIN

is part of the BSI group

(owned by the Belgian Ide family). The following companies are part of the group:



fondatel.com

FONDATEL is a Belgian foundry offering a wide range of high quality products with references in Belgium and France among others. A very large stock and an efficient logistical organisation result in very short delivery times. Resolutely focused on innovation, FONDATEL regularly offers new products that meet the expectations of clients and public works companies.



hermelock.be

The composition, however, consists of composite materials, which makes the products extremely light compared to their volume. As a result, they are very easy to handle and can be placed by one person



bsibelgium.be

BSI producer of pvc pipes (range from sewerage up to sanitary and rain water disposal, and pipes in polyethylene, cable trays and electrical conduits);



IMCOMA s.a.
Zwaarveld 32
9220 Hamme, Belgium
Phone +32 (0)52 499 899
info@imcoma.com

 **STORA-DRAIN**



www.stora-drain.be